

Výkaz oceli - JSDH věž							váha v kg						poznámka		
Pol.	Předmět	Průřez	d. 1 ks (mm) [*]	ks	délka [*] celkem (m)	váha ^{**} 1m (kg)									
	Patní plechy												resp. plocha m ² ^{**}) váha		
1	P10x240x240	#10x240	240	4	0,96	19,2					1	9			
2	P8x150x80	#8x150	80	4	0,32	9,6						4			
3	P8x30x80	#8x30	80	4	0,32	1,92						1			
4	P8x50x80	#8x50	80	20	1,6	3,2						6			
5	P10x160x160	#10x160	160	3	0,48	12,8						7			
	Sloupy														
1	U100-3,55m	U100	3550	12	42,6	10,6					4	5	2		
2	U100-3,30m	U100	3300	36	118,8	10,6		1			2	5	9		
3	U100-3,39m	U100	3390	1	3,39	10,6						3	6		
4	U100-3,14m	U100	3140	3	9,42	10,6					1	0	0		
5	U100-1,59m	U100	1590	8	12,72	10,6					1	3	5		
	Vodorovné nosníky														
1	I160-2,76m	I160	2760	8	22,08	17,9					3	9	6		
2	I160-3,01m	I160	3010	8	24,08	17,9					4	3	1		
3	I160-1,46m	I160	1460	8	11,68	17,9					2	1	0		
4	U100-1,265m	U100	1265	8	10,12	10,6					1	0	8		
5	U100-1,485m	U100	1485	8	11,88	10,6					1	2	6		
6	U100-2,76m	U100	2760	8	22,08	10,6					2	3	4		
7	U100-3,01m	U100	3010	15	45,15	10,6					4	7	9		
8	U100-1,46m	U100	1460	14	20,44	10,6					2	1	7		
9	J120x100x8-3,01m	J120x100x8	3010	1	3,01	25						7	6		
10	I120-0,80m	I120	800	2	1,6	11,15						1	8		
11	I100-2,06m	I100	2060	2	4,12	8,321						3	5		
12	I120-2,775m	I120	2775	4	11,1	11,15					1	2	4		
13	I120-2,85m	I120	2850	1	2,85	11,15						3	2		
14	U120-0,875m	U120	875	3	2,625	13,35						3	6		
15	U120-1,075m	U120	1075	3	3,225	13,35						4	4		
16	I80 - 1,42m	I80	1420	10	14,2	5,942						8	5		
Přirážka na drobný materiál a svary													0	0,0%	
CELKEM (snáška)										4	6	7	0	kg	"CELKEM"

